In the Claims

This listing of claims will replace all prior versions and listings of claims in this application.

1 (Original). A compound of formula (I) or formula (II)

(II) wherein

$$\label{eq:Dis-CH2} \begin{split} D \text{ is -}(CH_2)_{n^*}, -C(=X)\text{-, -}S(O)_{m^*}, -C(=X)N(R^s)\text{-, -}C(R^b)_{2^*}, \ -C(R^b)=&C(R^b)\text{-, -}C(R^b)\text{-}C(R^b)\text{-, -}C(R^b) - &C(R^b)\text{-, -}C(R^b) -$$

E is optionally present and is $-(CH_2)_n$, $-N(R^d)$, $-(CH_2)_nN(R^d)$ - or $-N(R^d)(CH_2)_n$;

F is -C(=X)- or $-N(R^d)$ -;

G is $-(CH_2)_n$ -, $-N(R^d)$ -, $-(CH_2)_nN(R^d)$ - or $-N(R^d)(CH_2)_n$;

 $\label{eq:Jisoptionally present and is -O-, -N(R^\circ)C(=X)-, -C(=X)N(R^\circ)-, -S(O)_{m^*}, -N(R^\circ)S(O)_{m^*}, -S(O)_mN(R^\circ)- or -N(R^\circ)-;$

K is optionally present and is alkylene optionally substituted with R^b ; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with R^a ;

L is hydrogen, halogen, $-N(R^f)_2$, cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with R^a , $-C(=X)OR^d$, -OH, $-OR^c$, $-C(=X)N(R^h)(R^c)$, $-S(O)_mN(R^h)(R^c)$ or -CN;

each R^a is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy, -alkoxy-(CH₂)_RC(O)₂R^h, -O-aryl, -C(=X)R^e, -NO₂, -CN, -N(R^e)C(=X)R^e, -C(=X)N(R^e)₂, -S(O)₂N(R^e)₂ or -N(R^e)₂;

each Rb is the same or different and is hydrogen or alkyl;

each R^c is the same or different and is alkyl, cycloalkyl, -alkyl-aryl, -alkyl-cycloalkyl or aryl optionally substituted with R^a ;

each R^d is the same or different and is hydrogen, alkyl or anyl optionally with R^a;

each R^e is the same or different and is hydrogen, alkyl; or R^e is anyl or heteroaryl, either of which is optionally substituted with R^a ;

each R^f is the same or different and is hydrogen or alkyl; or R^f -N- R^f taken together form heterocycloalkyl, heterocycloalkyl, heterocycloalkyl,

each X is the same or different and is oxygen or sulphur;

Y and Z are the same or different and are each hydrogen, halogen, alkyl, hydroxy, alkoxy, $-CN, -N(R^d)C(=X)R^c, -C(=X)N(R^c)(R^d), -S(O)_m -R^c, -N(R^c)(R^d)S(O)_2, -S(O)_2N(R^c)(R^d), -N(R^c)_2, \\ -Si(R^c)_3, -alkyl-Si(R^c)_3, aryl optionally substituted with <math>R^a$ or -O-aryl optionally substituted with R^a ;

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with R*:

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of Y and Z comprises a silicon atom and that the compound does not comprise a N-N single bond;

or a pharmaceutically acceptable salt thereof.

2 (Previously presented). The compound according to claim 1, wherein Y is $-Si(R^c)_3$, -alkyl- $Si(R^c)_3$ or hydrogen.

- 3 (Previously presented). The compound according to claim 2, wherein each R^c is the same or different and is alkyl.
- 4 (Previously presented). The compound according to claim 1, wherein Z is hydrogen, $Si(R^c)_{34}$, -alkyl- $Si(R^c)_{34}$, -O-aryl, halogen or alkoxy.
- 5 (Previously presented). The compound to claim 4, wherein each R^c is the same or different and is alkyl or phenyl.
- $\label{eq:continuous} 6 \mbox{ (Previously presented)}. \mbox{ The compound according to claim 1, wherein R^a is alkyl, halogen or alkoxy.}$
- 7 (Previously presented). The compound according to claim 1, wherein D is -O-, -S- or CH_2 -.
 - 8 (Previously presented). The compound according to claim 1, wherein E is absent.
 - 9 (Previously presented). The compound according to claim 1, wherein F is -C(O)-.
 - 10 (Previously presented). The compound according to claim 1, wherein G is -N(R^d)-.
 - 11 (Previously presented). The compound according to claim 10, wherein R^d is hydrogen.
- $12 \ (Previously \ presented). \ The compound according to claim \ 1, wherein \ J \ and \ K \ are \ absent,$ and L is hydrogen or -N(R 6)2.
- 13 (Previously presented). The compound according to claim 1, wherein J is -NH-, K is alkylene and L is heterocycloalkyl.

- 14 (Previously presented). The compound according to claim 1, wherein Ring 1 is heteroarylene.
- 15 (Previously presented). The compound according to claim 14, wherein Ring 1 is furanylene.
- 16 (Previously presented). The compound according to claim 1, wherein Ring 1 is phenylene.
- 17 (Previously presented). The compound according to claim 1, wherein Ring 2 is phenylene, pyrimidylene or pyridinylene, any of which is optionally substituted.
- 18 (Previously presented). The compound according to claim 17, wherein Ring 2 is substituted 1, 2 or 3 times, the substituents being the same or different in each occurrence and selected from alkoxy and halogen.
 - 19 (Previously presented). The compound according to claim 1, selected from:
 - 5-[2-methyl-5-(trimethylsilyl)phenoxy]-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;
 - 5-[2-methyl-5-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-[2-methyl-5-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide:
- $\label{eq:continuous} 5-[2-methyl-5-(trimethylsilyl)phenoxy]-$N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;$
- 5-[2-methyl-5-(trimethylsilyl)phenoxy]-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-[2-methyl-5-(trimethylsilyl)phenoxy]-N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
 - $5-[2-methyl-5-(trimethylsilyl)phenoxy]-N-\{2-[3-(morpholin-4-yl)propylamino]-4,6-(morpholin-4-yl)propylamino[morphol$

- dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-[2-mcthyl-5-(trimcthylsilyl)phenoxy]-N-{2-[2-(pyrrolidin-1-yl)ethylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-[2-methyl-5-(trimethylsilyl)phenoxy]-N-{2-[3-(1,3-imidaz-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
 - 5-[2-bromo-5-(trimethylsilyl)phenoxy]-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;
 - 5-[2-bromo-5-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-[2-bromo-5-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide:
- 5-[2-bromo-5-(trimethylsilyl)phenoxy]-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-vl)furan-2-carboxamide;
- 5-[2-bromo-5-(trimethylsilyl)phenoxy]-N-{2-[3-(4-methylpiperazinyl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-[2-bromo-5-(trimethylsilyl)phenoxy]-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-[2-bromo-5-(trimethylsilyl)phenoxy]-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-[2-bromo-5-(trimethylsilyl)phenoxy]-*N*-{2-[2-(pyrrolidin-1-yl)ethylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-[2-bromo-5-(trimethylsilyl)phenoxy]-N-{2-[3-(1,3-imidaz-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
 - $5\hbox{-}[2\hbox{-methoxy-}5\hbox{-}(trimethyl silyl) phenoxy]- \textit{N-}(2, 6\hbox{-dimethoxy phenyl}) furan-2\hbox{-carbox amide};$
 - 5-[2-methoxy-5-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-[2-methoxy-5-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide:
- 5-[2-methoxy-5-(trimethylsilyl)phenoxy]-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
 - 5-[2-methoxy-5-(trimethylsilyl)phenoxy]-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-

- dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-[2-methoxy-5-(trimethylsilyl)phenoxy]-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-[2-methoxy-5-(trimethylsilyl)phenoxy]-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
 - 5-[5-(ethyldimethylsilyl)-2-methylphenoxy]-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;
- 5-[5-(ethyldimethylsilyl)-2-methylphenoxy]-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide:
- 5-[5-(ethyldimethylsilyl)-2-methylphenoxy]-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-[5-(ethyldimethylsilyl)-2-methylphenoxy]-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- $\label{eq:section} 5-[5-(ethyldimethylsilyl)-2-methylphcnoxy]-N-\{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;$
- $\label{eq:continuity} 5-[5-(ethyldimethylsilyl)-2-methylphenoxy]-N-\{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;$
- $\label{eq:continuous} 5-[5-(ethyldimethylsilyl)-2-methylphenoxy]-N-\{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl\} furan-2-carboxamide;$
- $\label{eq:continuity} 5-\{5-\{(2,2-\text{dimethylpropyl})\text{dimethylsilyl}\}-2-\text{methylphenoxy}\}-N-(2,6-\text{dimethoxyphenyl})\text{furan-}\\ 2-\text{carboxamide};$
- 5-{5-[(2,2-dimethylpropyl)dimethylsilyl]-2-methylphenoxy}-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-{5-{(2,2-dimethylpropyl)dimethylsilyl]-2-methylphenoxy}-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-{5-[(2,2-dimethylpropyl)dimethylsilyl]-2-methylphenoxy}-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-{5-{(2,2-dimethylpropyl)dimethylsilyl]-2-methylphenoxy}-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;

- 5-{5-[(2,2-dimethylpropyl)dimethylsilyl]-2-methylphenoxy}-*N*-{2-[3-(*N*,*N*-
- dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-{5-[(2,2-dimethylpropyl)dimethylsilyl]-2-methylphenoxy}-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-{5-[1,1-dimethyl-2-(trimethylsilyl)cthyl]-2-methylphenoxy}-*N*-(2,6-dimethoxyphenyl)ſuran-2-carboxamide;
- 5-{5-[1,1-dimethyl-2-(trimethylsilyl)ethyl]-2-methylphenoxy}-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- $\label{eq:continuity} 5-\{5-\{1,1-\text{dimethyl-2-(trimethylsilyl)ethyl}\}-2-\text{methylphcnoxy}\}-N-(2,4,6-\text{trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide};$
- 5-{5-[1,1-dimethyl-2-(trimethylsilyl)ethyl]-2-methylphenoxy}-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- $\label{eq:continuity} 5-\{5-[1,1-dimethyl-2-(trimethylsilyl)ethyl]-2-methylphenoxy\}-\mathcal{N}-\{2-[3-(4-methylpherazin-1yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;$
- 5-{5-[1,1-dimethyl-2-(trimethylsilyl)ethyl]-2-methylphenoxy} -N-{2-[3-(N,N-dimethylamino)propylamino]-4.6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide:
- 5-{5-[1,1-dimethyl-2-(trimethylsilyl)ethyl]-2-methylphenoxy}-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-{[2-methyl-5-(trimethylsilyl)phenyl]methyl}-N-(2,6-dimethoxyphenyl)furan-2-carboxamide:
- $\label{lem:control} 5-\{[2-methyl-5-(trimethylsilyl)phenyl]methyl\}-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;$
- $\label{eq:continuous} 5-\{[2-\text{methyl-5-(trimethylsilyll)phenyll]methyl}\}-N-(2,4,6-\text{trimethoxy-1,3-pyrimidin-5-yll)furan-2-carboxamide:}$
- 5-{[2-methyl-5-(trimethylsilyl)phenyl]methyl}-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-{[2-methyl-5-(trimethylsilyl)phenyl]methyl}-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

- 5-{[2-methyl-5-(trimethylsilyl)phenyl]methyl-N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-{[2-methyl-5-(trimethylsilyl)phenyl]mcthyl}-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pytimidin-5-yl}furan-2-carboxamide;
- 5-[2-methoxy-4-phenoxy-5-(trimethylsilyl)phenylthio]-N-[4,6-dimethoxy-(2-phenylamino)-1,3-pyrimidin-5-yl]furan-2-carboxamide;
- 5-{2-methoxy-5-[(2,2-dimethylpropyl)dimethylsilyl]phenoxy}-N-[2-(N-tert-butyloxycarbonylpiperidinyl-4'-amino)-4,6-dimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide:
- 5-{2-methoxy-5-[(2,2-dimethylpropyl)dimethylsilyl]phenoxy}-N-{2-[3-(1,3-imidaz-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- $\label{eq:continuity} 5-\{[(1,1-\text{dimethylethyl})\text{dimethylsilyl}] phenoxy\}-\textit{N-}(2,4,6-\text{trimethoxyphenyl}) benzene-3-carboxamide:$
- $\label{eq:continuous} 5-[2-methoxy-4-(dimethylphenylsilyl)phenoxy]-N-\{2-[2-(ethylamino)ethylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl\} furan-2-carboxamide;$
- 5-[4-chloro-2-methyl-5-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide:
- 5-[4-chloro-2-methoxy-6-methyl-3-(trimethylsilyl)phenoxy]-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- $\label{eq:continuous} 5-[2-methyl-5-(propyldimethylsilyl)phenoxy]- \textit{N-}(2,4,6-trimethoxyphenyl) furan-2-carboxamide;$
- $\label{eq:continuity} 5-[2-methyl-5-(trimethylsilyl)phenoxy]-N-[2-(N-tert-butyloxycarbonylpiperidinyl-4'-amino)-4,6-dimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide;$
- $\label{eq:continuity} 5-[2-methoxy-5-(trimethylsilyl)phenoxy]-N-[2-(3-methoxycarbonylpropylamino)-4,6-dimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide;$
- 5-[2-bromo-5-(trimethylsilyl)phenoxy]-*N*-{[2-(2-(propylamino)ethylamino)]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- $\label{eq:continuity} 5-[2-bromo-5-(trimcthylsilyl)phenoxy]-N-\{2-[(2-aminoethyl)propylamino)]-4,6-dimethoxy-1,3-pyrimidin-5-yl\} furan-2-carboxamide;$

- 5-[2-bromo-5-(trimcthylsilyl)phenoxy]-N-(2-chloro-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-{2-mcthyl-4-[(2,2-dimethylpropyl)dimethylsilyl]phenoxy}-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-{2-methyl-4-[1,1-dimethyl-2-(trimethylsilyl)ethyl]phenoxy}-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-[2-mcthyl-4,5-bis(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
 - 5-[2-methyl-4-(trimethylsilyl)phenoxy]-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;
 - 5-[2-methyl-4-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;
- 5-[2-methyl-4-(trimcthylsilyl)phenoxy]-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide:
- 5-[2-methyl-4-(trimethylsilyl)phenoxy]-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;
- 5-[2-methyl-4-(trimethylsilyl)phenoxy]-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- 5-[2-methyl-4-(trimethylsilyl)phenoxy]-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;
- 5-[2-mcthyl-4-(trimethylsilyl)phenoxy]-N-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
- $\label{eq:control} 5-[2-methyl-4-(trimethylsilyl)phenoxy]-$N-\{2-[2-(pyrrolidin-1-yl)ethylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl\} furan-2-carboxamide;$
- 5-[2-mcthyl-4-(trimethylsilyl)phenoxy]-N-{2-[3-(1,3-imidaz-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide;
 - 5-[2-chloro-5-(trimethylsilyl)phenoxy]-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;
 - $5\hbox{-}[2\hbox{-}chloro\hbox{-}5\hbox{-}(trimethylsilyl) phenoxy]- \hbox{\it N-}(2,4,6\hbox{-}trimethoxyphenyl) furan-2\hbox{-}carboxamide;$
- 5-[2-chloro-5-(trimethylsilyl)phenoxy]-N-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[2-chloro-5-(trimethylsilyl)phenoxy]-N-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[2-chloro-5-(trimethylsilyl)phenoxy]-N-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[2-chloro-5-(trimethylsilyl)phenoxy]-N-{2-[3-(N,N-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

 $\label{eq:continuity} 5-[2-chloro-5-(trimethylsilyl)phenoxy]-N-\{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl\}furan-2-carboxamide;$

5-[2-chloro-5-(trimethylsilyl)phenoxy]-N-{2-[2-(pyrrolidin-1-yl)ethylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl} furan-2-carboxamide; and

 $\label{eq:continuity} 5-[2-chloro-5-(trimethylsilyl)phenoxy]-N-\{2-[3-(1,3-imidaz-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl\} furan-2-carboxamide[[:]].$

20 (Previously presented). The compound according to claim 1, which is in the form of a single enantiomer or diastereomer or tautomer.

21 (Cancelled).

22 (Previously presented). A pharmaceutical composition comprising a compound of formula (I) or formula (II)

$$Z$$
 $Ring 1$
 $E F G$
 $Ring 2$
 $J-K-L$

(II)

wherein

$$\label{eq:def:Distance} D \text{ is } -(CH_2)_n\text{--}, -C(=X)\text{--}, -O\text{--}, -S(O)_m\text{--}, -C(=X)N(R^\circ)\text{--}, -C(R^b)_2\text{--}, -C(R^b)\text{--}, -C(R^b)\text{---}, -C(R^b)\text{--}, -C(R^b)\text{---}, -C(R^b)\text{---}, -C$$

E is optionally present and is -(CH₂)_n-, -N(R^d)-, -(CH₂)_nN(R^d)- or -N(R^d)(CH₂)_n-;

F is -C(=X)- or $-N(R^d)$ -;

G is $-(CH_2)_n$, $-N(R^d)$, $-(CH_2)_nN(R^d)$ or $-N(R^d)(CH_2)_n$;

 $\label{eq:Jisoptionally present and is -O-, -N(R^c)C(=X)-, -C(=X)N(R^c)-, -S(O)_m-, -N(R^c)S(O)_m-, -S(O)_mN(R^c)- or -N(R^c)-;$

K is optionally present and is alkylene optionally substituted with R^b ; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with R^a ;

L is hydrogen, halogen, $-N(R^6)_2$, cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with R^a , $-C(=X)OR^d$, -OH, $-OR^c$, $-C(=X)N(R^b)(R^c)$, $-S(O)_mN(R^b)(R^c)$ or -CN:

each R^a is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy, -alkoxy-(CH₂)_nC(O)₂ R^b , -O-aryl, -C(=X) R^c , -NO₂, -CN, -N(R^c)C(=X) R^c , -C(=X)N(R^c)₂, -S(O)₂N(R^c)₂ or -N(R^c)₃:

cach Rb is the same or different and is hydrogen or alkyl;

each R^c is the same or different and is alkyl, cycloalkyl, -alkyl-aryl, -alkyl-cycloalkyl or aryl optionally substituted with R^s ;

each R^d is the same or different and is hydrogen, alkyl or aryl optionally with R^a;

each R^e is the same or different and is hydrogen, alkyl; or R^e is aryl or heteroaryl, either of which is ontionally substituted with R^a:

each R^f is the same or different and is hydrogen or alkyl; or R^f -N- R^f taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

each X is the same or different and is oxygen or sulphur;

 $Y \ and \ Z \ are the same or different and are each hydrogen, halogen, alkyl, hydroxy, alkoxy, \\ -CN, -N(R^d)C(=X)R^c, -C(=X)N(R^c)(R^d), -S(O)_m-R^c, -N(R^c)(R^d)S(O)_2, -S(O)_2N(R^c)(R^d), -N(R^c)_2, \\ -Si(R^c)_3, -alkyl-Si(R^c)_3, \ aryl \ optionally substituted with \ R^a \ or -O-aryl \ optionally substituted with \ R^a:$

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with R*;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of Y and Z comprises a silicon atom and that the compound does not comprise a N-N single bond;

or a pharmaceutically acceptable salt thereof; and a pharmaceutically acceptable diluent or carrier.

23 - 30 (Cancelled).